

CLEANSPACE™ EX/ULTRA HEPA PARTICULATE FILTER

DATA SHEET

PRODUCT CODE: PAF-1037

PRODUCT NAME: CleanSpace™ EX/ULTRA HEPA Particulate Filter -

High Capacity (HI CAP)



Description

CleanSpace High Efficiency (HEPA) Particulate Filters are suitable for protection against airborne particulate (dust, mists and fumes). Filtration efficiency 99.97% for 0.3um particles or above.

IMPORTANT: When selecting a CleanSpace Filter consult a Health and Safety specialist for advice on the appropriate respiratory equipment and filter use.

Approvals

Standards NIOSH Approved ETL Approved

Classification

PAPR - High Efficiency (HE) Particulate

Features

- Approved with CleanSpace ULTRA and CleanSpace EX Power Units.
- CleanSpace High Capacity Particulate Filters must be used in conjunction with a CleanSpace Filter Adaptor (PAF-0038 or PAF-0078).
- Used with the revolutionary CleanSpace A light weight PAPR with no hoses/belts.
- Suitable for protection against airborne particulate (dust, mists and fumes).
- Materials: Fibreglass particulate media, ABS, silicone.
- Easily fitted and removed from the Power Unit.

Specifications and materials

- Weight: 130g (approximate). Dimensions: 170mm x 40mm x 70mm
- Packaged Shelf life: 3 years from manufacturing date.
- Materials: Fibreglass particulate media, ABS, silicone.
- Storage and Use: -10°C to +55°C (-4°F to +131°F) at <90% relative humidity. Store away from direct sunlight, grease and oil.
- These filters are not waterproof and should be replaced after contact with water.

Suitable **Applications**

Mining, Welding, Manufacturing, Smelting, Construction, Recycling Plants, Emergency Services, Agriculture, Processing Plants, Grinding.

Training

Online training available with verification for compliance purposes.

Contact sales@cleanspacetechnology.com

Limitations

CleanSpace respirators are air filtering, fan assisted positive pressure masks and designed to be worn in environments where there is sufficient oxygen to breathe safely. Do not use the CleanSpace in IDLH atmospheres, to protect against gases/vapours that cannot be filtered, or in Oxygen enriched or deficient atmospheres.