



CleanSpace™ HEPA Particulate Filter Low Profile (Pk 3)



PRODUCT CODE	PAF-1103
PRODUCT NAME	CleanSpace HEPA Particulate Filter Low Profile (Pk 3)
DESCRIPTION	<p>CleanSpace High Efficiency Particulate Air (HEPA) filters are suitable for protection against airborne particulates (dust, mists, fumes) with a particulate filtration efficiency $\geq 99.97\%$.</p> <p>CleanSpace HEPA filters (PAF-1103) are compatible with the CleanSpace EX System (PAF-2060), CleanSpace ULTRA System (PAF-2070) and the CleanSpace2 System (PAF-2034).</p> <p>IMPORTANT: When selecting a CleanSpace filter please consult a Health and Safety specialist for advice on the appropriate respiratory equipment and filter use.</p>
APPROVALS	<p>Standard & Classification</p> <p>NIOSH approved to 42 CFR Part 84 (High Efficiency, 99.97%) for:</p> <ul style="list-style-type: none"> CleanSpace EX (PAF-2060) with Half Mask (TC-21C-11270) or Full-Face Mask (TC-21C-1269) CleanSpace ULTRA (PAF-2070) with Half Mask (TC-21C-11270) or Full-Face Mask (TC-21C-1269) CleanSpace2 (PAF-2034) with Half Mask (TC-21C-11270)
FEATURES	<ul style="list-style-type: none"> No requirement for a filter adaptor Easily fitted and removed from the Power Unit
SPECIFICATIONS	<ul style="list-style-type: none"> Packaged Weight & Dimensions: 140g, 180mm x 155mm x 45mm (3 Pack) Product Weight & Dimensions: 35g, 120mm x 50mm x 35mm (single filter) Sold in a pack of 3 filters
MATERIALS	Borosilicate microfibre media ABS (acrylonitrile butadiene styrene) Plastic Casing Polyurethane Seal
USE & STORAGE CONDITIONS	<ul style="list-style-type: none"> Use temperature range: -10°C to +45°C (14°F to +113°F) at < 90% relative humidity Storage conditions: +10°C to +30°C (+50°F to +86°F) at < 75% relative humidity Store away from direct sunlight, grease and oil
APPLICATIONS	<p>Suitable for environments which require respiratory protection against airborne biohazards, particulates and dust.</p> <p>Examples: Mining, blasting, grinding, drilling, or crushing. Tunnelling, excavation, rock and mineral handling.</p>

Australia (Head Office): +61 2 8436 4000 | sales@cleanspacetechnology.com

Uncontrolled if downloaded or printed from the internet.

WWW.CLEANSPEACEUSA.COM





The CleanSpace EX System (PAF-2060) and CleanSpace ULTRA System (PAF-2070) with the CleanSpace particulate low profile filter are suitable for applications where decontamination showers are used.

LIMITATIONS

CleanSpace respirators are air filtering, fan assisted, positive pressure systems and designed to be worn in environments where there is sufficient oxygen to breathe safely. Do not use CleanSpace respirators in immediately dangerous to life or health (IDLH) atmospheres, to protect against gases/vapours that cannot be filtered or in oxygen enriched or deficient atmospheres.

EDUCATION

Contact sales@cleanspacetechnology.com or visit the [CleanSpace website](#) for details.

WARRANTY

Visit <https://cleanspacetechnology.com/warranty/> to read important Warranty information and complete the Warranty Registration Online Form for CleanSpace Products. Consumable parts are warranted up to the point of use, provided they have been stored correctly and are within their expiry date.

CleanSpace recommends filters are replaced regularly.

