

CleanSpace®

RESPIRATORS

Free the way you breathe™

Innovative Respiratory Protection with CleanSpace Technology

- AirSensit® technology
- Lightweight design
- Provides 99.97% filtration efficiency

NIOSH
APPROVED ✓



CLEANSPACETECHNOLOGY.COM

CleanSpace CST PRO



The CleanSpace CST PRO offers you the ultimate protection that is both durable and lightweight, making it perfect for use during more challenging tasks.


- Patented AirSensit® technology is breath responsive, adjusting to your breathing requirements for optimal comfort and performance
- Compact and lightweight : (< 450g) - easy to don and doff
- TM3 Particulate or TM3 Combined Particulate and Gas/Vapour filters
- Improved mobility with no belts or hoses allowing you to work more freely
- Connected via Bluetooth to the CleanSpace SMART App
- Battery run time up to 14 hours*; fast recharge
- Compatible for use with CST particulate and particulate-gas-vapour filters, providing 99.97% filtration efficiency
- Certified for use with Half Mask and Full Face Mask
- Choice of fabric or non-fabric head harness that provides a comfortable weight distribution
- 2 year product warranty

* Operating time is strongly affected by filter type, filter loading, mask seal, work rate, altitude, and other factors. The operating times quoted above are average durations at moderate work rates at sea level. Actual operating times may vary widely from the quoted average durations.













Cleanspace Powered Air Purifying Respirators (PAPRs) and Mask

CST1000	CST PRO Power System Power unit, neck supports, charger and carry bag. (mask and filter not included)		CST1034	Small	Half Mask (head harness included)		
			CST1035	Medium			
			CST1036	Large			
			CST1017	Small	Full Face Mask		
			CST1018	Medium/Large			

Filters

TM3 Particulate Filters			TM3 Combined Particulate and Gas/Vapour Filters for different applications. Organic/inorganic/acids/ammonia			
CST1005	Standard particulate filter (Pack of 3)		CST1028	TM3A1P R SL		
CST1004	High-capacity particulate filter (pack of 3)		CST1008	TM3A2P R SL		
PAF-0058	CleanSpace pre-filter and disposable cover (standard capacity) (pack of 20). Suitable for all CST Filters		CST1027	TM3ABE1P R SL		
			CST1006	TM3ABEKIP R SL		

Accessories

PAF-1043	CleanSpace Half Mask Quantitative Fit Testing Kit (includes adaptor and 6 grommets)		CS3014	CleanSpace charging and storage station (for 8 devices)	
PAF-1101	Universal battery charger (all models)		PAF-1018	CleanSpace Full Face Mask Tear off Visor Anti-Scratch Protectors (pk 10)	
CST1024	CleanSpace Cleaning and Storage plug (Storage only for CleanSpace CST PRO)		PAF-1026	CleanSpace FFM visor anti-scratch protectors - tinted (pack of 10)	
CST1019	Neck Support (Small)		PAF-1017	CleanSpace Full Face Mask Spectacle Kit	
CST1020	Neck Support (Medium)		CST1037	Fabric Head Harness	
PAF-1024	CleanSpace car charger		CST1038	Non-Fabric Head Harness	

CleanSpace CST ULTRA



An intelligent PAPR system that provides protection reporting for improved safety compliance.

- Patented AirSensit® technology is breath responsive, adjusting to your breathing requirements for optimal comfort and performance
- Compact and lightweight : (< 450g) - easy to don and doff
- TM3 Particulate or TM3 Combined Particulate and Gas/Vapour filters
- Improved mobility with no belts or hoses allowing you to work more freely
- Connected via Bluetooth to the CleanSpace SMART App
- IP65 – suitable for decontamination
- Battery run time up to 14 hours*; fast recharge
- Long-term battery storage – ready to go when you are
- Compatible for use with CST particulate and particulate-gas-vapour filters, providing 99.97% filtration efficiency
- Certified for use with Half Mask and Full Face Mask
- Choice of fabric or non-fabric head harness that provides a comfortable weight distribution
- 2 year product warranty

* Operating time is strongly affected by filter type, filter loading, mask seal, work rate, altitude, and other factors. The operating times quoted above are average durations at moderate work rates at sea level. Actual operating times may vary widely from the quoted average durations.













Cleanspace Powered Air Purifying Respirators (PAPRs) and Mask

CST1010	CST ULTRA Power System Power unit, neck supports, charger and carry bag. (mask and filter not included)		CST1034	Small	Half Mask (head harness included)	
			CST1035	Medium		
			CST1036	Large		
			CST1017	Small	Full Face Mask	
			CST1018	Medium/Large		

Filters

TM3 Particulate Filters			TM3 Combined Particulate and Gas/Vapour Filters for different applications. Organic/inorganic/acids/ammonia			
CST1005	Standard particulate filter (Pack of 3)		CST1028	TM3A1P R SL		
CST1004	High-capacity particulate filter (pack of 3)		CST1008	TM3A2P R SL		
PAF-0058	CleanSpace pre-filter and disposable cover (standard capacity) (pack of 20). Suitable for all CST Filters		CST1027	TM3ABE1P R SL		
			CST1006	TM3ABEKIP R SL		

Accessories

PAF-1043	CleanSpace Half Mask Quantitative Fit Testing Kit (includes adaptor and 6 grommets)		CS3014	CleanSpace charging and storage station (for 8 devices)	
PAF-1101	Universal battery charger (all models)		PAF-1018	CleanSpace Full Face Mask Tear off Visor Anti-Scratch Protectors (pk 10)	
CST1024	CleanSpace Cleaning and Storage plug		PAF-1026	CleanSpace FFM visor anti-scratch protectors - tinted (pack of 10)	
CST1019	Neck Support (Small)		PAF-1017	CleanSpace Full Face Mask Spectacle Kit	
CST1020	Neck Support (Medium)		CST1037	Fabric Head Harness	
PAF-1024	CleanSpace car charger		CST1038	Non-Fabric Head Harness	




CleanSpace SMART App



The CleanSpace SMART App gives workers real-time visibility into their respiratory protection.

With instant access to battery levels, filter status and alarm notifications, teams can work confidently knowing their equipment is performing as it should.



Key Benefits:

- Fast setup - download and connect in seconds
- Live dashboard display - estimated protection, filter percentage and battery charge
- Minute-by-minute filter tracking for proactive maintenance
- Quick access to training videos, mask-fitting guidance and a range of additional support

How to Get Started:

Download the CleanSpace SMART App from the App Store or Google Play.

Pair your Power Unit and connect in seconds for instant access to your live dashboard.

Scan for more information & to get started:



Stay protected. Stay in control.





CleanSpace Insights Reporting

CleanSpace Insights Reporting for CST ULTRA respirators.

Transforms usage data into clear, actionable safety intelligence.

Supervisors gain visibility into compliance, protection trends and filter consumption, helping ensure workers stay safe and equipment stays ready.



Key Benefits:

- Automated reporting on device usage and protection performance
- Visibility of filter life, battery status and safety alerts across teams
- Improved compliance tracking with clearer record-keeping
- Easy-to-interpret dashboards that support faster decision-making



How It Works:

Pair the CST ULTRA with the CleanSpace SMART App, sync the de-identified data securely to the CleanSpace cloud, and receive automated Insights Reports straight to your inbox.

Simple, private and seamless — whether you're managing one respirator or an entire fleet.

Scan for more information:



Smarter Data for Safer Worksites.

CleanSpace EX



The CleanSpace EX is intrinsically safe for use in potentially explosive atmospheres, providing peace of mind for your workers in high-risk environments.

- Patented AirSensit® technology is breath responsive, adjusting to your breathing requirements for optimal comfort and performance
- ATEX/IECEX/ETL certification
- The only PAPR with an EN12942/AS1716-approved AX Filter
- Compact and lightweight : (< 500g) - easy to don and doff
- Improved mobility with no belts or hoses allowing you to work more freely
- Intrinsically safe certification
- IP66 – suitable for decontamination
- Battery run time up to 8 hours*; fast recharge
- Certified for use with Half Mask and Full Face Mask
- The choice of head harnesses provides a comfortable weight distribution
- Compatible for use with PAF particulate and particulate-gas-vapour filters, providing 99.97%** filtration efficiency
- 2 year product warranty

* Operating time is strongly affected by filter type, filter loading, mask seal, work rate, altitude, and other factors. The operating times quoted above are average durations at moderate work rates at sea level. Actual operating times may vary widely from the quoted average durations.

** 99.95% filtration efficiency when used with the CleanSpace AX Filter.

Cleanspace Powered Air Purifying Respirators (PAPRs) and Mask

PAF-0060	CS EX Power System Power unit, neck supports, CS EX TM3 particulate filter, head harness (non-fabric), charger, seal check cap, flow test cap and carry bag. (mask not included)		PAF-0033	Small	Half Mask (excluding head harness)			
			PAF-0064 INTRINSICALLY SAFE					
			PAF-1010	Medium				
			PAF-0062 INTRINSICALLY SAFE					
			PAF-0027	Large				
			PAF-0063 INTRINSICALLY SAFE					
			PAF-1106	Small				
PAF-1014	Medium/ Large							












TM3 Filters and Pre-Filters Without Adaptor

PAF-0035	CleanSpace TM3 P SL R Particulate Filter - (pack of 3)		PAF-0036	CleanSpace pre-filter (pack of 10)	
			PAF-0058	CleanSpace pre-filter and disposable cover -standard capacity (pack of 20)	

TM3 Filters and Pre-Filters Requiring An Adaptor

PAF-0078	Adaptor for CleanSpace EX Filter (Intrinsically safe)		TM3-Gas-Vapour (TM2-Gas-Vapour for TM2AXP NR SL)				
PAF-0037	CleanSpace High Capacity (HI CAP) Particulate P3 TM3 P SL R Filter		PAF-0050	TM3A1P R SL			
			PAF-0077	TM3A2P R SL			
PAF-0057	CleanSpace Particulate Pre-Filter for large Case Filters (pack of 20)		PAF-0087	TM2AXP NR SL			
			PAF-0051	TM3ABE1P R SL			
PAF-0049	CleanSpace Coverall - Standard and Large Case Filters (pk 25)		PAF-0052	TM3ABEKIP R SL			

Accessories

PAF-1030	CleanSpace Elite fabric head harness for Half Mask					
PAF-1043	CleanSpace Half Mask Quantitative Fit Testing Kit (includes adaptor and 6 grommets)		CS3014	CleanSpace charging and storage station (for 8 devices)		
PAF-1101	Universal battery charger (all models)		PAF-1018	CleanSpace Full Face Mask Tear off Visor Anti-Scratch Protectors (pk 10)		
PAF-1024	CleanSpace car charger		PAF-1026	CleanSpace FFM visor anti-scratch protectors - tinted (pack of 10)		
PAF-1028	CleanSpace Neck Support (non-fabric) SMALL		PAF-1017	CleanSpace Full Face Mask Spectacle Kit		
PAF-1013	CleanSpace Neck Support (non-fabric) LARGE		PAF-1012	CleanSpace Neck Support (non-fabric) MEDIUM		

CleanSpace WORK



Our lightest industrial PPR making respiratory protection easier to work with in high dust environments.

- TM3 particulate filtration, suitable for protection against airborne particulates and dust
- Patented AirSensit® technology is breath responsive, adjusting to your breathing requirements for optimal comfort and performance
- Compact and lightweight : (< 400g) - easy to don and doff
- Improved mobility with no belts or hoses allowing you to work more freely
- Battery run time up to 8 hours*; fast recharge
- Compatible for use with CS WORK particulate filters, providing 99.97% filtration efficiency
- Certified for use with Half Mask
- Head harness provides a comfortable weight distribution
- 2 year product warranty

* Operating time is strongly affected by filter type, filter loading, mask seal, work rate, altitude, and other factors. The operating times quoted above are average durations at moderate work rates at sea level. Actual operating times may vary widely from the quoted average durations.

Cleanspace Powered Air Purifying Respirators (PAPRs) and Mask

KITCS3020WORK - S	CleanSpace Work Kit with Half Mask & Head Harness - S
KITCS3020WORK - M	CleanSpace Work Kit with Half Mask & Head Harness - M
KITCS3020WORK - L	CleanSpace Work Kit with Half Mask & Head Harness - L
CS3003WORK	CleanSpace Work Half Mask & Fabric Head Harness - S
CS3004WORK	CleanSpace Work Half Mask & Fabric Head Harness - M
CS3005WORK	CleanSpace Work Half Mask & Fabric Head Harness - L



Filters

CS3002WORK	CleanSpace WORK Particulate Standard TM3 Filter (Pk 3)
-------------------	--



Accessories

PAF-1043	CleanSpace Half Mask Quantitative Fit Testing Kit (includes adaptor and 6 grommets)
-----------------	---







Model	CleanSpace WORK	CleanSpace CST PRO	CleanSpace CST ULTRA	CleanSpace EX	CleanSpace HALO
-------	-----------------	--------------------	----------------------	---------------	-----------------

Certifications

EN12942 / ASNZS1716	✓	✓	✓	✓	✓
IP66 – Water tolerant	✓			✓	✓
IP65 – Water Tolerant			✓		
Intrinsically safe (refer to Data Sheet)				✓	

Approvals

Particulate TM3/P3	✓	✓	✓	✓	✓
Combination Filters		✓	✓	✓	
Half Mask	✓	✓	✓	✓	✓
Full Face Mask	✓	✓	✓	✓	✓

Technology

AirSensit [®] breath-responsive positive-pressure air	✓	✓	✓	✓	✓
Up to 8 hours* operating time	✓			✓	✓
Up to 14 hours* operating time		✓	✓		
Fast re-charge - approximately 2 hours	✓	✓	✓	✓	✓
Filter change alert	✓	✓	✓	✓	✓
Low battery alert	✓	✓	✓	✓	✓
Filter Absent alert		✓	✓		
Less than 500g	✓	✓	✓	✓	✓

CleanSpace Smart App

Battery Remaining %		✓	✓		
Estimated Protection Level		✓	✓		
Particulate Filter Remaining (%)		✓	✓		
Detailed Filter Information		✓	✓		
Session Data Information			✓		
Respiratory Compliance Reporting			✓		

* Operating times are strongly affected by filter type, filter clogging, mask seal, work rate, altitude and other factors. The operating times given above are average times at moderate work rates and sea level. Actual operating times may vary considerably from these average times.

High Protection and Comfort

Our Difference:

CleanSpace respirators are a breakthrough in personal respiratory protection. Thanks to AirSensit® technology, they synchronise with the user's breathing to regulate positive pressure in the mask. Providing 99.97% filtration efficiency with no belts or hoses, CleanSpace provides the next level of innovation in respiratory safety.

DISTRIBUTOR DETAILS:

For more information contact:



Email: sales@cleanspacetechnology.com



Telephone to speak with our team (during business hours)
Australia (Head Office): + 61 2 8436 4000



WWW.CLEANSPACETECHNOLOGY.COM



© 2026 Cleanspace Technology